


ELLISSE PENDANT MAJOR

Federico Palazzari

LED pendant provides diffused orientable uplight or downlight.

Made from extruded aluminum in different finishes: matt lacquered white, black or gold, or polished in natural or gold. Equipped with an opal diffuser. The lamps are made using a proprietary extrusion coupling technology.



DOWNLIGHT 2700K

LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2650lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	53.1 x 27.6 x 0.8
Materials	Aluminum + PC
Notes	adjustable cable length max 8.2', DALI version on request
Net lamp weight	11 lbs

Codes

ELP LW2 54
ELP LN2 54
ELP LO2 54
ELP LL2 54
ELP LGW 54


Structure

white
black
gold painted
polished aluminum
gold polished anodized

PACKAGE

Package 01 Dimension: 31.5 x 59.1 x 5.9 inches / Gross weight: 16.5 lbs

Certificazioni



DOWNLIGHT 3000K

LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	2650lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	53.1 x 27.6 x 0.8
Materials	Aluminum + PC
Notes	adjustable cable length max 8.2', DALI version on request
Net lamp weight	11 lbs

Codes

ELP LWW 54
ELP LNW 54
ELP LOW 54
ELP LLW 54


Structure

white
black
gold painted
polished aluminum

PACKAGE

Package 01 Dimension: 31.5 x 59.1 x 5.9 inches / Gross weight: 16.5 lbs

Certificazioni



UPLIGHT 2700K

LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2650lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	53.1 x 27.6 x 0.8
Materials	Aluminum + PC
Notes	adjustable cable length max 8.2', DALI version on request
Net lamp weight	11 lbs

Codes

ELP LW2 53
ELP LN2 53
ELP LO2 53
ELP LL2 53
ELP LGW 53


Structure

white
black
gold painted
polished aluminum
gold polished anodized

PACKAGE

Package 01 Dimension: 31.5 x 59.1 x 5.9 inches / Gross weight: 16.5 lbs

Certificazioni



UPLIGHT 3000K

LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	2650lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	53.1 x 27.6 x 0.8
Materials	Aluminum + PC
Notes	adjustable cable length max 8.2', DALI version on request
Net lamp weight	11 lbs

Codes

ELP LWW 53
ELP LNW 53
ELP LOW 53
ELP LLW 53

Structure

white
black
gold painted
polished aluminum

PACKAGE

Package 01 Dimension: 31.5 x 59.1 x 5.9 inches / Gross weight: 16.5 lbs

Certificazioni

