


LINESCAPES FLOOR

Floor lamp with an efficient highly versatile linear luminous output. Structure in extruded aluminum and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements painted in grey.



LED

LAMPING

Source	LINEAR LED
Total power	38W
Emission	DIFFUSED
Switching	dimmer on cable
Tension	120V
Color temperature	3000K
Luminous flux	2050lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	4.7" x 75.6"
Materials	aluminum + pc
Notes	dimmer on cable , cable length 8.2'
Net lamp weight	19,6 lbs

Codes

LIN LWD 21
LIN LND 21

Structure/Diffuser

white/ grey/white
black / grey/white

PACKAGE

Package 01	Dimension: 5.9" x 5.9" x 61" inches / Net weight: 10,4 lbs
Package 02	Dimension: 7.9" x 7.9" x 80.3" inches / Gross weight: 12,1 lbs



LED

LAMPING

Source	LINEAR LED
Total power	38W
Emission	DIFFUSED
Switching	dimmer on cable
Tension	120V
Color temperature	2700K
Luminous flux	2050lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	4.7" x 75.6"
Materials	aluminum + pc
Notes	dimmer on cable , cable length 8.2'
Net lamp weight	19,6 lbs

Codes

LIN LW2 21
LIN LN2 21

Structure/Diffuser

white/ grey/white
black / grey/white

PACKAGE

Package 01	Dimension: 5.9" x 5.9" x 61" inches / Net weight: 10,4 lbs
Package 02	Dimension: 7.9" x 7.9" x 80.3" inches / Gross weight: 12,1 lbs

