



Test Report

Report No.: 742056-4

Assignor: Gubi A/
Klubiensvej 7 Frihavnen - Pakhus 53
DK-2150 Nordhavn

Page 1 of 1
laha/prni/hbs
Order no.: 742056
No. of appendices: 2

Subject: Model: Masculo

| | | | | | |
|------------|--|--------|--------|---------|--------|
| Type: | Chair | | | | |
| Length: | 580 mm | Width: | 690 mm | Height: | 725 mm |
| Weight: | 9.1 kg | | | | |
| Materials: | Seat/back: Upholstery Frame: Ø16 mm tubes | | | | |

Sampling: The test material was sampled by the client and received at the Danish Technological Institute 09-03-2017.

Method: EN 1022:2005 Domestic furniture - Seating - Determination of stability. EN 16139:2013 Furniture - Strength, durability and safety - Requirements for non-domestic seating.

Cluses 4.1, 4.2.3, 4.3.3, 5, 6.1.1, 6.1.2, 6.1.3, 6.1.5, 6.1.6, 6.1.8, 6.1.9, 6.1.10, 6.1.12, 6.1.13, 6.1.14, 6.1.15, 6.1.16.

L1: General use: E.g. in office buildings, showrooms, public halls, function rooms, cafés, restaurants, canteens, banks, bars.

Period: The testing was carried out from 10-03-2017 to 23-03-2017.

Result: Model Masculo fulfils the requirements in EN 1022:2005 and EN 16139:2013. Loading according to Test severity L1. Individual results appear from Appendix 1.

Storage: The test material will be destroyed after 1 month, unless otherwise agreed.

Terms: The accredited test was carried out according to DANAK's general conditions see www.danak.dk and according to the General Terms and Conditions regarding Commissioned Work Accepted by the Danish Technological Institute, which apply at the time of signing the agreement. The test is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract.

Date/place: 23-03-2017, Danish Technological Institute, Wood and Biomaterials, Taastrup

Lars Jeffers-Hansen
Ph. direct: +45 72 20 23 90
E-mail: laha@teknologisk.dk

Signature: Test responsible

Per Abildgaard Nielsen
Ph. Direct: +45 72 20 23 07
E-mail: prni@teknologisk.dk

Co-signatory



Order no.: 742056-4
Appendix: 1
Page: 1 of 1
Initials: laha/prni/hbs

Test of model: Masculo

Loading according to Test severity L1.

| Test | Test Method | Cycles | Load | Result |
|--|-------------------------|------------------|--------------------------------|--------|
| 4.1 General | EN 16139, 4.1 | | | Passed |
| 4.2.2 Shear and squeeze points under influence of powered mechanisms | EN 16139, 4.2.2 | | | N/A |
| 4.2.3 Shear and squeeze points during use | EN 16139, 4.2.3 | | | Passed |
| 4.3.2 Swivelling chairs | EN 1022 | | | N/A |
| 4.3.3 Non swivelling chairs | EN 1022 | | | Passed |
| 4.4 Rolling resistance of the unloaded chair | EN 16139, 4.4 | | | N/A |
| 5 Strength and durability requirements | EN 16139, 5 | | | Passed |
| 6.1.1 Seat static load and back static load test | EN 1728:2012, 6.4 | 10 10 | Seat: 1600 N Back: 560 N | Passed |
| 6.1.2 Seat front edge static load | EN 1728:2012, 6.5 | 10 | Seat: 1300 N | Passed |
| 6.1.3 Vertical load on back rests | EN 1728:2012, 6.6 | 10 | Back: 600 N Seat: 1300 N | Passed |
| 6.1.4 Foot rest static load test | EN 1728:2012, 6.8 | | | N/A |
| 6.1.4 Leg rest static load test | EN 1728:2012, 6.9 | | | N/A |
| 6.1.5 Arm rest sideways static load test | EN 1728:2012, 6.10 | 10 | 400 N | Passed |
| 6.1.6 Arm rest downwards static load test | EN 1728:2012, 6.11 | 5 | 750 N | Passed |
| 6.1.7 Vertical upwards static load on arm rests | EN 1728:2012, 6.13 | | | N/A |
| 6.1.8 Combined seat and back durability test | EN 1728:2012, 6.17 | 100000 100000 | Seat: 1000 N Back: 300 N | Passed |
| 6.1.9 Seat front edge durability test | EN 1728:2012, 6.18 | 50000 | 800 N | Passed |
| 6.1.10 Arm rest durability test | EN 1728:2012, 6.20 | 30000 | 400 N | Passed |
| 6.1.11 Foot rest durability test | EN 1728:2012, 6.21 | | | N/A |
| 6.1.12 Leg forward static load test | EN 1728:2012, 6.15 | 10 | Edge: 500 N) (Seat: 1000 N) | Passed |
| 6.1.13 Legs sideways static load test | EN 1728:2012, 6.16 | 10 | Edge: 400 N) (Seat: 1000 N) | Passed |
| 6.1.14 Seat impact test | EN 1728:2012, 6.24 | 10 | 240 mm | Passed |
| 6.1.15 Back impact test | EN 1728:2012, 6.25 | 10 | 210 mm / 38° | Passed |
| 6.1.16 Arm Impact Test | EN 1728:2012, 6.26 | 10 | 210 mm / 38° | Passed |
| 6.1.17 Drop test (multiple seating) | EN 1728:2012, 6.27.1 | | | N/A |
| 6.1.18 Auxiliary writing surface static load test | EN 1728:2012, 6.14 | | | N/A |
| 6.1.19 Auxiliary writing surface durability test | EN 1728:2012, 6.22 | | | N/A |
| 7 Information for use | EN 16139, 7 | | | N/A |

Order no.: 742056-4
Appendix: 1
Page: 1 of 1
Initials: laha/prni/hbs

Test of model: Masculo

Photo

