


MLBWL134ANTBRS

Antique Brass








MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Antique Brass







Product Notes:

1) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.






MLBWL134ANTSLV

Antique Silver








MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Antique Silver







I) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120 with the appropriate lampholders.





MLBWL134NATBRS

Natural Brass







MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Natural Brass







I) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120 with the appropriate lampholders.





MLBWL134PCMBK

Matt Black








MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

Fixing Bracket MLWB17 | Matt Black







I) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.






MLBWL134PCWTE

White








MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | White







Product Notes:

1) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.






MLBWL134POLBRS

Polished Brass








MATERIAL	Brass Glass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Polished Brass







I) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.






MLBWL134SATBRS

Satin Brass








MATERIAL	Brass Glass
	Brass Grass
HEIGHT	40cm 15.75"
WIDTH DIAMETER	20cm 7.87"
LENGTH PROJECTION	38cm 14.96"
WEIGHT	1.7KG 3.75lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	44
CLASS PROTECTION	II
SHADE	GL044E
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Satin Brass







I) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.

