

#### MLOWL022ANTBRS Antique Brass





MATERIAL	Brass   Glass	Fixing Bracket -
HEIGHT	14cm   5.51''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	14cm   5.51''	
LENGTH   PROJECTION	5.5cm  2.17"	
WEIGHT	0.9KG   1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE	-	







#### MLOWL022ANTSLV Antique Silver





MATERIAL	Brass   Glass	Fixing Bracket -
HEIGHT	14cm   5.51''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	14cm  5.51"	
LENGTH   PROJECTION	5.5cm  2.17"	
WEIGHT	0.9KG   1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	64	
CLASS PROTECTION	1	
SHADE	-	
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE	-	




Product Notes: 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



www.mullanlighting.com



#### MLOWL022NATBRS Natural Brass



MATERIAL	Brass	Fixing Bracket MLROSE05
HEIGHT	23cm   9.06''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	30cm   11.81"	
LENGTH   PROJECTION	18cm   7.09''	
WEIGHT	0KG   0lbs	
LAMPHOLDER	E27 or E26	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	65	
CLASS PROTECTION	1	
SHADE		
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE		



www.mullanlighting.com





#### MLOWL022POLBRS Polished Brass





MATERIAL	Brass   Glass	Fixing Bracket -
HEIGHT	14cm   5.51''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	14cm   5.51''	
LENGTH   PROJECTION	5.5cm  2.17"	
WEIGHT	0.9KG   1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	64	
CLASS PROTECTION	1	
SHADE	-	
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE	-	







#### MLOWL022RAWBRS Raw Brass





MATERIAL	Brass   Glass	Fixing Bracket -
HEIGHT	14cm  5.51''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	14cm   5.51''	
LENGTH   PROJECTION	5.5cm  2.17"	
WEIGHT	0.9KG   1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	20	
CLASS PROTECTION	I	
SHADE	-	
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE	-	



Product Notes: 1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



www.mullanlighting.com



#### MLOWL022SATBRS Satin Brass





MATERIAL	Brass   Glass	Fixing Bracket -
HEIGHT	14cm   5.51''	*For UL wired lights, fixing bracket may differ
WIDTH   DIAMETER	14cm  5.51"	
LENGTH   PROJECTION	5.5cm  2.17"	
WEIGHT	0.9KG   1.98lbs	
LAMPHOLDER	G9 x 1	
MAX WATTAGE	6.5W x 1	
VOLTAGE	220/240v or 110/120	
IP RATING	64	
CLASS PROTECTION	1	
SHADE	-	
FLEX   BAR   CHAIN LENGT	n/a	
CABLE TYPE	-	



