

ARDLE Pendant

MLP092PCORG Orange



MATERIAL	Aluminium Steel	Fixing Bracket	MLROSE05GRIP Orange
HEIGHT	10cm 3.94"		
WIDTH DIAMETER	30cm 11.81"		
LENGTH PROJECTION	n/a		
WEIGHT	0.7KG 1.54lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA009		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

ARDLE Pendant

MLP092PCRED Red



MATERIAL	Aluminium Steel	Fixing Bracket	MLROSE05GRIP Red
HEIGHT	10cm 3.94"		
WIDTH DIAMETER	30cm 11.81"		
LENGTH PROJECTION	n/a		
WEIGHT	0.7KG 1.54lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA009		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

ARDLE Pendant

MLP092PCRGR Racing Green



MATERIAL Aluminium | Steel

Fixing Bracket MLROSE05GRIP | Racing Green

HEIGHT 10cm | 3.94"

WIDTH | DIAMETER 30cm | 11.81"

LENGTH | PROJECTION n/a

WEIGHT 0.7KG | 1.54lbs

LAMPHOLDER E27 x 1

MAX WATTAGE 60W x 1

VOLTAGE 220/240v

IP RATING 20

CLASS PROTECTION I

SHADE -

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLCA009

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

ARDLE Pendant

MLP092PCWTE White



MATERIAL	Aluminium Steel	Fixing Bracket	MLROSE05GRIP White
HEIGHT	10cm 3.94"		
WIDTH DIAMETER	30cm 11.81"		
LENGTH PROJECTION	n/a		
WEIGHT	0.7KG 1.54lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA009		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

ARDLE Pendant

MLP092PCYLW Yellow



MATERIAL	Aluminium Steel	Fixing Bracket	MLROSE05GRIP Yellow
HEIGHT	10cm 3.94"		
WIDTH DIAMETER	30cm 11.81"		
LENGTH PROJECTION	n/a		
WEIGHT	0.7KG 1.54lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA009		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.