


LOME Pendant

MLP257ANTBRS Antique Brass




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP Antique Brass
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257ANTSLV Antique Silver




MATERIAL	Brass
HEIGHT	8cm 3.15"
WIDTH DIAMETER	5cm 1.97"
LENGTH PROJECTION	n/a
WEIGHT	0.28KG 0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket MLROSE05GRIP | Antique Silver

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP Black
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257PCMBK Matt Black



POWDER-COATED
MATTE BLACK



MATERIAL	Brass
HEIGHT	8cm 3.15"
WIDTH DIAMETER	5cm 1.97"
LENGTH PROJECTION	n/a
WEIGHT	0.28KG 0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC


Fixing Bracket MLROSE05GRIP | Matt Black

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257PCWTE White




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP White
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257POLBRS Polished Brass




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP Polished Brass
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257POLCHR Polished Chrome




MATERIAL	Brass	Fixing Bracket	MLROSE05GRIP Polished Chrome
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257POLCOP Polished Copper




MATERIAL	Brass Copper	Fixing Bracket	MLROSE05GRIP Copper
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257POLNKL Polished Nickel




MATERIAL	Brass	Fixing Bracket	MLCA020
HEIGHT	8cm 3.15"		
WIDTH DIAMETER	5cm 1.97"		
LENGTH PROJECTION	n/a		
WEIGHT	0.28KG 0.62lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	60W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	-		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	8cm 3.15"
WIDTH DIAMETER	5cm 1.97"
LENGTH PROJECTION	n/a
WEIGHT	0.28KG 0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC


Fixing Bracket MLROSE05GRIP | Satin Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

LOME Pendant

MLP257SATCHR Satin Chrome



MATERIAL	Brass
HEIGHT	8cm 3.15"
WIDTH DIAMETER	5cm 1.97"
LENGTH PROJECTION	n/a
WEIGHT	0.28KG 0.62lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	60W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	-
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket MLROSE05GRIP | Satin Chrome

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.