


| | | |
|--------------------------|------------------|------------------|
| MATERIAL | Brass | Fixing Bracket - |
| HEIGHT | 14cm 5.51" | |
| WIDTH DIAMETER | 8cm 3.15" | |
| LENGTH PROJECTION | 13cm 5.12" | |
| WEIGHT | 0.17KG 0.37lbs | |
| LAMPHOLDER | GU10 x 1 | |
| MAX WATTAGE | 6.5W x 1 | |
| VOLTAGE | 220/240v | |
| IP RATING | 20 | |
| CLASS PROTECTION | I | |
| SHADE | - | |
| FLEX BAR CHAIN LENGT | n/a | |
| CABLE TYPE | - | |




| | |
|--------------------------|------------------|
| MATERIAL | Brass |
| HEIGHT | 14cm 5.51" |
| WIDTH DIAMETER | 8cm 3.15" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.17KG 0.37lbs |
| LAMPHOLDER | GU10 x 1 |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | - |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket -

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




| | |
|--------------------------|------------------|
| MATERIAL | Brass |
| HEIGHT | 14cm 5.51" |
| WIDTH DIAMETER | 8cm 3.15" |
| LENGTH PROJECTION | 13cm 5.12" |
| WEIGHT | 0.17KG 0.37lbs |
| LAMPHOLDER | GU10 x 1 |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | - |
| FLEX BAR CHAIN LENGT | n/a |
| CABLE TYPE | - |


Fixing Bracket -

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



| | | |
|--------------------------|------------------|------------------|
| MATERIAL | Brass | Fixing Bracket - |
| HEIGHT | 14cm 5.51" | |
| WIDTH DIAMETER | 8cm 3.15" | |
| LENGTH PROJECTION | 13cm 5.12" | |
| WEIGHT | 0.17KG 0.37lbs | |
| LAMPHOLDER | GU10 x 1 | |
| MAX WATTAGE | 6.5W x 1 | |
| VOLTAGE | 220/240v | |
| IP RATING | 20 | |
| CLASS PROTECTION | I | |
| SHADE | - | |
| FLEX BAR CHAIN LENGT | n/a | |
| CABLE TYPE | - | |



| | | |
|--------------------------|------------------|------------------|
| MATERIAL | Brass | Fixing Bracket - |
| HEIGHT | 14cm 5.51" | |
| WIDTH DIAMETER | 8cm 3.15" | |
| LENGTH PROJECTION | 13cm 5.12" | |
| WEIGHT | 0.17KG 0.37lbs | |
| LAMPHOLDER | GU10 x 1 | |
| MAX WATTAGE | 6.5W x 1 | |
| VOLTAGE | 220/240v | |
| IP RATING | 20 | |
| CLASS PROTECTION | I | |
| SHADE | - | |
| FLEX BAR CHAIN LENGT | n/a | |
| CABLE TYPE | - | |