


# Ethnicraft

## ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

---

### TEAK DOUBLE EXTENDABLE DINING TABLE


CODE	DESCRIPTION
12066	TEAK DOUBLE EXTENDABLE DINING TABLE 200-300/100/76



# Ethnicraft

## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

### NOTE



- CAREFULLY OPEN THE CARTON.
- REMOVE CONTENTS AND LAY OUT ON CARPET OR THE PACKAGING CARTON BOX OR OTHER PROTECTIVE SURFACE TO AVOID DAMAGE.
- CHECK PACKAGE CONTENTS TO ASSURE ALL THE NECESSARY HARDWARE AND PARTS ARE RECEIVED UNDAMAGED.
- DO NOT USE DAMAGE OR DEFECTIVE PARTS/HARDWARE.
- CONTACT ETHNICRAFT FOR ANY MISSING PART AND /OR HARDWARE.


READ THE ASSEMBLY INSTRUCTION BEFORE INSTALLATION AND CAREFULLY FOLLOW THE INSTRUCTION GIVEN.

- SEEK THE ADVICE OF A PROFESSIONAL IF YOU ARE NOT FAMILIAR WITH THESE INSTALLATIONS OR HAVE ANY DOUBTS ABOUT THE SAFETY OF THIS INSTALLATION.

IT IS ADVISABLE TO DO THIS ASSEMBLY WITH MINIMUM OF 3 PERSONS.


WHEN LIFTING THE TABLE, MAKE SURE TABLE IS IN UNEXTENDED POSITION.

- UNEXTENDED POSITION.
- LIFT ONLY ON THE APRON.
- 
- 




X3

### PARTS TO ASSEMBLE




#### (A) TABLE TOP 1piece

CODE	DESCRIPTION
P0845	TABLE TOP



#### (C) LEG (INTERCHANGEABLE) 4pieces

CODE	DESCRIPTION
P0995	LEG





#### (B) CONNECTING BAR 1piece

CODE	DESCRIPTION
P0919	CONNECTING BAR

# Ethnicraft


## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

### HARDWARE ENCLOSED

 <p><b>H0535</b> JCBC SCREW M6x50 (16pcs)</p>	 <p><b>H0098</b> WASHER M8 (20pcs)</p>	 <p><b>H0794</b> JCBC SCREW M6x30 (4pcs)</p>
 <p><b>H0643</b> THREADED BOLT M6x55 (2pcs)</p>	 <p><b>H0989</b> JCN NUT (4pcs)</p>	 <p><b>H0990</b> PIPE SPACER (2pcs)</p>


### TOOL

(Included in packaged)



### TOOLS


(Not included in packaged)



### SYMBOLS



DIRECTION



NUMBER OF  
PERSONS NEEDED



USE HAND



USE SCISSORS



USE SCREWDRIVER  
TO TIGHTEN




USE L KEY  
TO TIGHTEN


## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

---

### LOCKING THE TABLE TOP





### UNLOCKING THE TABLE TOP





## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

### A. REMOVING THE WOODEN LOCKER




### B. REMOVING THE CONNECTING BAR FROM THE TABLE TOP




## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

### C. INSTALLING THE SPACER





PLASTIC SHOES AT THE OUTER SIDE OF THE LEGS



- ⚠ - LEGS ARE INTERCHANGEABLE
- USE THREADED BOLT M 6 x 55 (2X)
- USE JCN NUT (4X)
- USE PIPE SPACER (2X)
- TIGHTEN FULLY

### D. INSTALLING THE CONNECTING BAR





CONNECTING BAR IS FACING UP ACCORDING TO THE STICKER

- ⚠ - MAKE SURE THE CONNECTING BAR IS FACING UP ACCORDING TO THE STICKER
- USE JCBC SCREWS  $\varnothing$  6 x 50 (16X)
- USE WASHER M8 (16X)
- TIGHTEN FULLY



TEAK DOUBLE EXTENDABLE DINING TABLE  
ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

**E. INSTALLING THE FIXED PART OF THE TABLE TOP**



-  - MAKE SURE TABLE TOP IS LOCKED POSITION
- USE JCBC SCREWS  $\varnothing 6 \times 30$  (2X)
- USE WASHER M8 (2X)
- TIGHTEN FULLY

**F. INSTALLING THE EXTENSION PART OF THE TABLE TOP**




-  - MAKE SURE TABLE TOP IS IN UNLOCKED POSITION
- USE JCBC SCREWS  $\varnothing 6 \times 30$  (2X)
- USE WASHER M8 (2X)
- TIGHTEN FULLY

## TEAK DOUBLE EXTENDABLE DINING TABLE ASSEMBLY INSTRUCTIONS FOR DINING TABLE INSTALLATION

### 1. HOW TO EXTEND YOUR TABLE


SAFE POSITION FOR HANDS  
TO PULL & PUSH THE TABLE



MAKE SURE THE METAL PIN ON THE APRON  
GOES INTO THE BLOCK LOCATOR




- UNLOCK TABLE BEFORE EXTENDING
- MAKE SURE TABLE IS FULLY EXTENDED
- LOCK TABLE AFTER EXTENDING
- BE CAREFUL NOT TO HURT YOUR HANDS



### 2. HOW TO PUT YOUR DINING TABLE BACK TO ITS ORIGINAL SIZE

#### RECOMMENDATION :

 In order to avoid colour differences between the fixed table top and the extensions due to UV light, we suggest to put your dining table in extended version during the first month.



MAKE SURE THE METAL PIN ON THE APRON  
GOES INTO THE BLOCK LOCATOR



- UNLOCK TABLE BEFORE EXTENDING
- LOCK TABLE AFTER EXTENDING

