Ethnicraft

ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR

CODE	DESCRIPTION
10101	TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR 140/51/197





OPTION 1 ***(BRACE ON THE LEFT SIDE)***

OPTION 2 ***(BRACE ON THE RIGHT SIDE)***

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

HARDWARE & TOOLS ENCLOSED

				
JCBC SCREW M6x20 (4pcs)	FLAT RUBBER (4pcs)	LOCK WASHER (4pcs)	WASHER M6 (4pcs)	ALLEN KEY (M4)

IN YOUR PACKAGE :

ASSEMBLY INSTRUCTIONS
HARDWARE (AS LISTED ABOVE)

PARTS TO BE INSTALLED

A. LEFT FRAME (1 pc)
B. MIDDLE FRAME (1 pc)
C. RIGHT FRAME (1 pc)
D. SHORT SHELF (1 pc)
E. LOWER SHELVES (2 pcs)
F. TOP SHELF (1pc)
G. LONG HANGER BAR (1 pc)
H. SHORT HANGER BAR (1 pc)
I. BRACE (1 pc)



SYMBOLS

DIRECTION


NUMBER OF PERSONS NEEDED

USE HAND


USE ALLEN KEY TO TIGHTEN

NOTICE



Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

A ATTACHING LOWER SHELVES TO MIDDLE FRAME

OPTION 1





REMOVE LONG NUTS FROM LOWER SHELVES.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED NUTS
- DO NOT TIGHTEN FULLY

B ATTACHING TOP SHELF TO MIDDLE FRAME





REMOVE SHORT NUTS FROM TOP SHELF.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED NUTS
- DO NOT TIGHTEN FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

C ATTACHING LEFT FRAME





REMOVE BOLTS FROM SHELVES.
THEY WILL BE USED REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

D RELEASING HANGER BAR





REMOVE ALL PARTS



REMOVED BOLTS FROM THE HANGER.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

E ATTACHING HANGER BARS



NEED ONE PERSON TO HOLD
THE LONG HANGER BAR



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

F ATTACHING RIGHT FRAME



REMOVED BOLTS FROM SHELVES.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT THROW AWAY



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY



MAKE SURE THE HOLES FOR BRACE
ON THE RIGHT FRAME ON THE TOP SIDE



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

G ATTACHING SHORT SHELF





REMOVED BOLTS FROM THE SHORT SHELF.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT THROW AWAY



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

H INSTALLING BRACE





- FLAT RUBBER (4X)
- USE WASHER M6 (4X)
- USE LOCK WASHER (4X)
- USE JCBC SCREW M6x20 (4X)
- DO NOT TIGHTEN SCREWS FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

I ADJUST ALL BOLTS, NUTS & SCREWS TO TIGHTEN



TIGHTEN FULLY





TIGHTEN FULLY

J STAND RACK & ADJUSTING LEVELERS







**IMPORTANT ACTION TO ENSURE A STEADY STANDING RACK:
ADJUST EACH LEVELER BY TURNING LEFT OR RIGHT
TO MAKE CONTACT WITH THE FLOOR**

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

A ATTACHING LOWER SHELVES TO MIDDLE FRAME

OPTION 2





REMOVE LONG NUTS FROM LOWER SHELVES.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED NUTS
- DO NOT TIGHTEN FULLY

B ATTACHING TOP SHELF TO MIDDLE FRAME





REMOVE SHORT NUTS FROM TOP SHELF.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED NUTS
- DO NOT TIGHTEN FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

C ATTACHING LEFT FRAME





REMOVE BOLTS FROM SHELVES.
THEY WILL BE USED REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

D RELEASING HANGER BAR





REMOVE ALL PARTS



REMOVED BOLTS FROM THE HANGER.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT DISGUARD

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

E ATTACHING HANGER BARS



NEED ONE PERSON TO HOLD
THE LONG HANGER BAR



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

F ATTACHING RIGHT FRAME



REMOVED BOLTS FROM SHELVES.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT THROW AWAY



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY



MAKE SURE THE HOLES FOR BRACE
ON THE RIGHT FRAME ON THE TOP SIDE



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

G ATTACHING SHORT SHELF





REMOVED BOLTS FROM THE SHORT SHELF.
THEY WILL BE USED TO REASSEMBLE IN NEXT STEP,
DO NOT THROW AWAY



- RE-FIT THE PREVIOUSLY REMOVED BOLTS
- DO NOT TIGHTEN FULLY

H INSTALLING BRACE





- FLAT RUBBER (4X)
- USE WASHER M6 (4X)
- USE LOCK WASHER (4X)
- USE JCBC SCREW M6x20 (4X)
- DO NOT TIGHTEN SCREWS FULLY

Ethnicraft

10101 TEAK OSCAR BROWN RACK - WITH CLOTHES HANGING BAR
ASSEMBLY INSTRUCTIONS FOR RACK INSTALLATION

I ADJUST ALL BOLTS, NUTS & SCREWS TO TIGHTEN



TIGHTEN FULLY





TIGHTEN FULLY

J STAND RACK & ADJUSTING LEVELERS







**IMPORTANT ACTION TO ENSURE A STEADY STANDING RACK:
ADJUST EACH LEVELER BY TURNING LEFT OR RIGHT
TO MAKE CONTACT WITH THE FLOOR**