



Linn Bed

Jenkins & Uhnger




Assembly Instructions


Assembly requires two people and can take upto an hour.
Assemble the bed close to final destination. Identify all parts and hardware before starting assembly. Retain packaging until bed is fully assembled to ensure no fittings or components are accidentally discarded. Make sure assembly area is clean and level.




- A** Head Cushions
- B** Headboard
- C** Headboard Rail
- D** Headboard Sides
- E** Side Rails
- F** Footboard
- G** Corner Bracket
- H** Leg
- I** Slat Frame
- J** Central Rail




K x 28
6mm x 25mm



L x 18
6mm x 35mm



M x 2
6mm x 100mm



N x 2
8mm x 50mm



O x 30
10mm dia




P x 48
16mm dia




Q x 2
13mm dia



R x 2
17mm dia




Y x 1



Z x 1

Step 01

Take headboard sides (D) and slide into the position shown on the headboard (B).




Step 02

With the headboard and headboard sides already assembled, take the side rails (E) and position them as shown in the illustration. Attach each side rail using corner brackets (G) and 3 x bolts (K), along with washers (O + P). Secure firmly with allen key (Y).

Then, insert 1 x bolt (M) with washers (O + P) through the side rail (E) and into the headboard side (D).

Repeat this process on both sides as illustrated.


x2



Step 03

Take the footboard (F) and 2 corner brackets (G). On each side, use 4 bolts (K) with washers (O + P) to attach the corner bracket to both the side rail and the footboard. Tighten using the Allen key (Y).


Repeat for the other side.



Step 04


Turn the bed onto its side and take 8 x bolts (K), each with washers (O + P).

Insert the bolts through the brackets on the underside and fully tighten them into the side rails, headboard, and footboard.




Step 05

Secure 4 x legs (H) to brackets (G).



Step 06

Attach two legs to the central rail (J) using 2 x bolts (N) with washers (Q + R). Tighten securely using the Allen key (Z).




Step 07

To secure the central rail (J) to the headboard (B) and footboard (F), partially insert 2 x bolts (K) with washers (O + P) into the headboard and footboard.

Slot the end of the central rail over the bolts, then fully tighten using the Allen key (Y).


Repeat this process at the footboard end.



Step 08

Attach the headboard rail (C) to the side frames (E) using 2 x bolts (L) with washers (P).

Tighten securely using the Allen key (Y).




Step 09

Position the slat frame (I) onto the bed frame.


Align the holes on the slat frame with those on the central rail (J) and bed frame.

Secure using 16 x bolts (L) with washers (P), and fully tighten with the Allen key (Y).



Step 10

Place the head cushions at the head of the bed.
Ensure they are correctly oriented, as shown in the illustration.



Care Instructions

Linn Bed *designed by* Jenkins & Uhnger

To prolong the life of the product and retain its appearance and functionality, we would like to give you some relevant information and care advice:

General Care:

- Fluff headboard periodically to promote uniform wear and to help maintain comfort.
- Have upholstered items professionally cleaned when needed (we recommend around once per year).
- Place furniture out of direct sunlight to help prevent fading. Avoid placing furniture near fireplaces or radiators.
- Remove gum or wax by freezing it with a small plastic bag of ice until it hardens, then gently chip away. Repeat as necessary and blot with a damp, clean cloth to remove any stain left behind.
- Prevent spills from turning into stains by blotting them immediately with a clean dry cloth. Always blot from the outer edge of a spill inward to help avoid a stain ring from forming. Do not use water to remove oil-based stains.
- Use clear, cool water to help blot up resistant spills. Never use hot water, which tends to set stains.

Fabric Cleaning:

- Do not use cleaning solvents of any kind.
- Never let water saturate fabric or pool in seams.
- Brush pile fabrics lightly with a stiff bristle brush to remove minor stains and to regain original appearance. Do not rub or use excessive force when brushing.
- Professional cleaning is recommended.

Leather Cleaning:

- Dust is the enemy of leather upholstery, causing it to wear excessively and crack. Remove dust by wiping away with a dry cloth regularly and vacuum using the appropriate attachments. Do not use dust-cleaning products intended for wood furniture, which can damage leather.
- Some stains will blend into leather over time and become part of its patina.

We thank you for purchasing this product and wish you many years of enjoyable and functional use.

For more related products please visit: casefurniture.com